




Linea


The **Linea** linear aluminium profile is our thoroughbred luminaire, one of the most functional products we supply and synonymous with Unibox as the leading manufacturer of LED light fittings. It is fully customisable and ideal for use in countless interior spaces, such as commercial interiors, showrooms, offices, hotels, restaurants and galleries.




Profile (mm)




Mounting Methods



Suspended



Surface



Wall Mounted 1



Wall Mounted 2

Document Instructions


Digital users: Check selection boxes and fill in fields directly in fillable, save document as an *Interactive PDF* and submit to Unibox.

Manual users: Check selection boxes with a pen, scan ALL pages, save as an *Interactive PDF* and submit to Unibox.

1. Length

Select ONE

Available sizes (millimetres)



*Actual fitting length

LED Table Reference

Colour Temp	llm/m (avg)		llm/w		CRI	SCDM
	Mid	High	mid	High		
2700	2068	4278	104	98	80+*	3 Step
3000	2107	4379	107	101	80+*	3 Step
4000	2235	4643	113	107	80+*	3 Step
5000	2220	4613	113	106	80+*	3 Step
6500	2190	4549	111	104	80+*	3 Step
2700-6500	TBC	TBC	TBC	TBC	80+*	3 Step

Based on LED data

90+ CRI available on request

* For **DMX / 0-10V / 1-10V / RGBW / RGB** options, please contact Unibox directly.

2. Output

Select ONE

- ☐ MED
- ☐ HI

3. CRI

Select ONE

- ☐ 80
- ☐ 90

4. CCT

Select ONE

- ☐ 2700K
- ☐ 3000K
- ☐ 4000K
- ☐ 6500K

5. Lens

Select ONE

- ☐ FROST
- ☐ PRISMATIC

6. Profile Finish

Select ONE

- ☐



SSA

Satin Silver Anodised*
- ☐



9005

RAL Black
- ☐



9003

White Powdercoat
- ☐



TB

Textured Black

Premium Finishes

- ☐



1003

Signal Yellow
- ☐



2003

Pastel Orange
- ☐



3028

Pure Red
- ☐



4007

Purple Violet

- ☐



5002

Ultramarine Blue
- ☐



5014

Pigeon Blue
- ☐



6000

Patina Green
- ☐



6028

Pine Green
- ☐



7015

Slate Grey
- ☐



7016

Anthracite Grey
- ☐



9002

Grey White
- ☐



GA

Gold Anodised
- ☐



BA

Black Anodised

*Standard Finish at no extra cost

7. Power Cable Finish

Select ONE

- ☐  **CLEAR*** Clear
- ☐  **BLK** Black
- ☐  **WHITE** White

Premium Braided

- ☐  **BLKBR** Black Braided
- ☐  **WHITEBR** White Braided
- ☐  **SILVERBR** Silver Braided
- ☐  **GLDBR** Gold Braided
- ☐  **ORGBR** Orange Braided
- ☐  **OTHER** Other

*Standard Finish at no extra cost

8. End Caps

Select ONE

- ☐  **9005** RAL Black
- ☐  **SILVER** Silver
- ☐  **WHITE** White

9. Fixing Method

Select ONE



Suspended

☐ **S**

Surface

☐ **C**

Wall Mounted

☐ **WM**

10. Control

Select ONE

- ☐ **CASA** Casambi
- ☐ **DALI** DALI driver, dimming down to 1%
- ☐ **DMX** DMX driver, dimming down to 1%*
- ☐ **1/10** 1/10V, dimming down to 1%*
- ☐ **0/10** 0/10V, dimming down to 0%*
- ☐ **NONDIM** Non-Dimming

* For **DMX** / **0-10V** / **1-10V** / **RGBW** / **RGB** options, please contact Unibox directly.

11. Optional Add-ons

Select as many that apply

Output

- ☐ **EM** Remote, 3-hour emergency battery, manual testing
- ☐ **EM/DALI** Remote, 3-hour emergency battery with DALI interface, automatic testing
- ☐ **EC** Emergency circuit

12. Remote Drivers

Select ONE

- ☐ **Y** Yes
- ☐ **N** No

Optional Accoustics


1. Height

Select ONE

Available sizes (millimetres).

- ☐ **110**
- ☐ **150**
- ☐ **200**
- ☐ **250**
- ☐ **300**

Note: Accoustic cladding will increase overall profile width.



2. Colour Finish

Select ONE

- ☐ ☐

01 Black
- ☐ ☐

02 Charcoal Grey
- ☐ ☐

03 Slate Grey
- ☐ ☐

04 Ice White
- ☐ ☐

05 White
- ☐ ☐

06 Opal
- ☐ ☐

07 Sand
- ☐ ☐

08 Ocean
- ☐ ☐

09 Nocturn
- ☐ ☐

10 Caramel
- ☐ ☐

11 Sage
- ☐ ☐

12 Neptune
- ☐ ☐

13 Eden
- ☐ ☐

14 Misty Dew
- ☐ ☐

15 Cherry Red
- ☐ ☐

16 Yellow
- ☐ ☐

17 Soft Blue
- ☐ ☐

18 Azure
- ☐ ☐

19 Purple
- ☐ ☐

20 Teal

Product Code Builder

Use selected options for each section to build a custom code specific to your requirements.

1

2

3

4

5

6

7

8

9

10

11

12

LIN

Please refer to your code above when contacting our team about your order

Optional Accoustic Code Builder

Use selected options for each section to build a custom code specific to your requirements.

1

2

ACOU

Please refer to your code above when contacting our team about your order



Get In Touch

+44(0)161 655 2100
info@unibox.co.uk
www.unibox.co.uk

HQ:

Greenside Way, Middleton, Manchester M24 1SW

